



TRUCK & BUS

R A D I A L T Y R E S



SSR06 TBR

SUITABLE FOR MID-LONG DISTANCE NATIONAL HIGHWAY TRANSPORTATION

ROAD APPLICATION



EXPRESSWAY/
HIGHWAY




REGIONAL ROAD/
HIGHWAY

FEATURES



» Low rolling resistance formula design



» Excellent water evacuation performance



» Evenly distributes grounding pressure, good irregular wear resistance

STEER / TRAILER

● RECOMMENDED ● OPTIONAL

SPECIFICATION



SIZE	PLY RATING	THREAD DEPTH (MM)	STANDARD RIM (IN)	LOAD SINGLE/DUAL (KG/LBS)	LOAD INDEX	SPEED RATE	AIR PRESSURE (KPA)
11R22.5	16PR	15.5	8.25	3000/2725	146/143	M	830
12R22.5	18PR	16.5	9.00	3550/3250	152/149	L	930
215/75R17.5*	18PR	12.0	6.00	2180/2060	135/133	J	830
225/80R17.5*	18PR	13.0	6.75	1550/1500	123/122	L	700
225/90R17.5	16PR	14.0	6.75	2060/1950	133/131	L	830
235/75R17.5*	18PR	13.0	6.75	2725/2575	143/141	J	875
275/70R22.5	18PR	15.0	8.25	3000/2725	146/143	L	900
295/80R22.5*	18PR	15.5	9.00	3550/3250	152/149	L	900
315/80R22.5*	20PR	15.0	9.00	4125/3750	157/154	L	900

SSD09 TBR

SUITABLE FOR MID-LONG DISTANCE NATIONAL HIGHWAY TRANSPORTATION

LONG HAUL



ROAD APPLICATION



EXPRESSWAY/
HIGHWAY



REGIONAL ROAD/
HIGHWAY



URBAN CITY
ROAD

FEATURES



» Widened tread design




» Good heat dissipation performance



» Excellent braking, driving performance

DRIVE

● RECOMMENDED ● OPTIONAL



SPECIFICATION

SIZE	PLY RATING	THREAD DEPTH (MM)	STANDARD RIM (IN)	LOAD SINGLE/DUAL (KG/LBS)	LOAD INDEX	SPEED RATE	AIR PRESSURE (KPA)
295/80R22.5	18PR	18.5	9.00	3550/3250	152/149	K	900

SSD87 TBR

SUITABLE FOR MID-LONG DISTANCE NATIONAL HIGHWAY TRANSPORTATION

ROAD APPLICATION



EXPRESSWAY/
HIGHWAY



REGIONAL ROAD/
HIGHWAY




URBAN CITY
ROAD




FEATURES



» Widened tread design



» Good heat dissipation performance



» Excellent braking, driving performance

DRIVE

● RECOMMENDED ● OPTIONAL



SPECIFICATION

SIZE	PLY RATING	THREAD DEPTH (MM)	STANDARD RIM (IN)	LOAD SINGLE/DUAL (KG/LBS)	LOAD INDEX	SPEED RATE	AIR PRESSURE (KPA)
315/80R22.5	20PR	20.5	9.00	4125/3750	157/154	L	900

SMD 15_{TBR}

SUITABLE FOR MID-LONG DISTANCE NATIONAL HIGHWAY TRANSPORTATION OF ROUGH ROADS



ROAD APPLICATION



REGIONAL ROAD/
HIGHWAY



URBAN CITY
ROAD




ON/OFF




FEATURES



» Good driving, braking performance



» Good durability



» Low heat formula

DRIVE

● RECOMMENDED ● OPTIONAL



SPECIFICATION

SIZE	PLY RATING	THREAD DEPTH (MM)	STANDARD RIM (IN)	LOAD SINGLE/DUAL (KG/LBS)	LOAD INDEX	SPEED RATE	AIR PRESSURE (KPA)
295/80R22.5	18PR	21.0	9.00	3550/3250	152/149	K	900
295/80R22.5	20PR	21.0	9.00	3750/3450	154/151	G	930
315/80R22.5*	20.5	22.0	9.00	4125/3750	157/154	K	900
315/80R22.5	22PR	22.0	9.00	4500/4125	160/157	K	930

SSM77A_{TBR}

SUITABLE FOR MID-LONG DISTANCE
NATIONAL HIGHWAY TRANSPORTATION

ROAD APPLICATION



REGIONAL ROAD/
HIGHWAY




URBAN CITY
ROAD




MULTI-PURPOSE




FEATURES



» High anti-wear formula design



» Optimised bead design



» Excellent control performance

DRIVE / TRAILER

● RECOMMENDED ● OPTIONAL



SPECIFICATION

SIZE	PLY RATING	THREAD DEPTH (MM)	STANDARD RIM (IN)	LOAD SINGLE/ DUAL (KG/LBS)	LOAD INDEX	SPEED RATE	AIR PRESSURE (KPA)
295/80R22.5*	18PR	16.0	9.00	3550/3250	152/149	L	900
315/80R22.5	20PR	20.0	9.00	4125/3750	157/154	K	900

SSM77 TBR

SUITABLE FOR MID-LONG DISTANCE NATIONAL HIGHWAY TRANSPORTATION



ROAD APPLICATION



REGIONAL ROAD/
HIGHWAY



URBAN CITY
ROAD



MULTI-PURPOSE

FEATURES



» Good tread heat dissipation



» Good adaptability of road conditions



» Zigzag pattern design provides good water evacuation performance

TRAILER

● RECOMMENDED ● OPTIONAL



SPECIFICATION

SIZE	PLY RATING	THREAD DEPTH (MM)	STANDARD RIM (IN)	LOAD SINGLE/DUAL (KG/LBS)	LOAD INDEX	SPEED RATE	AIR PRESSURE (KPA)
11R22.5	16PR	15.0	8.25	3000/2725	146/143	K	830
12R22.5	18PR	15.0	9.00	3550/3250	152/149	L	930
315/80R22.5*	20PR	15.0	9.00	4125/3750	157/154	K	900



Phone Number
+65 62683111

Fax
+65 62640148

Address
19 Lok Yang Way, Jurong
Singapore 628635

Email
Sales@sumotire.com

SUMO FIRENZA tyres are not offered or available for sale in the USA